

RichardsApex, Inc

Version No: 1.9

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Issue Date:06/26/2015 Print Date: 06/27/2015 Initial Date: 01/14/2015 S.GHS.USA.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	ORPINE CPD	
Other means of identification	Not Available	

Relevant identified uses of the substance or mixture and uses advised against

	Soluble cleaner. Other Uses:
Relevant identified	Other Uses.
uses	
	Special Instructions: None

Details of the manufacturer/importer

RichardsApex, Inc	
4202-24 Main St Philadelphia, Pennsylvania 19127 United States	
215-487-1100	
215-487-3090	
http://www.richardsapex.com	
RaincOrders@richardsapex.com	
#FREETRAD WORK PARTICION AND CARROLLES AND C	4202-24 Main St Philadelphia, Pennsylvania 19127 United States 215-487-1100 215-487-3090 http://www.richardsapex.com

Emergency telephone number

Association / Organisation	PERS
Emergency telephone numbers	1-800-633-8253 US/Canada Emergency Phone Number
Other emergency telephone numbers	+1-801-629-0667 International Emergency Phone Number

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

The second state of the second	
GHS Classification	Skin Corrosion/Irritation Category 2, Serious Eye Damage Category 1







SIGNAL WORD

DANGER

Hazard statement(s)

H315	Causes skin irritation
H318	Causes serious eye damage

Precautionary statement(s) Prevention

Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor/physician/first aider	
P362	Take off contaminated clothing.	
P302+P352	IF ON SKIN: Wash with plenty of water and soap	
P332+P313	If skin irritation occurs: Get medical advice/attention.	

Precautionary statement(s) Storage

Precautionary statement(s) Disposal

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of hazardous ingredients in this mixture.

Mixtures

CAS No	%[weight]	Name
151-21-3	10-50	sodium lauryl sulfate
8002-09-3	10-50	pine oil

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 FIRST AID MEASURES

Description of first aid measures

If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.

Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances. In such an event consider:

- ▶ foam.
- dry chemical powder.

Special hazards arising from the substrate or mixture

Fire	Name Inches
Incompatibility	None known

Advice for firefighters

Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. The emulsion is not combustible under normal conditions. However, it will break down under fire conditions and the hydrocarbon component will burn. Combustible. Slight fire hazard when exposed to heat or flame.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up.
Major Spills	Moderate hazard. → Clear area of personnel and move upwind.
	Personal Protective Equipment advice is contained in Section 8 of the MSDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	 DO NOT allow clothing wet with material to stay in contact with skin Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. DO NOT enter confined spaces until atmosphere has been checked.
Other information	

Conditions for safe storage, including any incompatibilities

Suitable container	 Use containers suitable for gels. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	► Avoid strong oxidizers.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3	
sodium lauryl sulfate	Sodium lauryl sulfate	3.9 mg/m3	43 mg/m3	260 mg/m3	

Exposure controls

Appropriate engineering controls	Care: Atmospheres in bulk storages and even apparently empty tanks may be hazardous by oxygen depletion. Atmosphere must be checked before entry.		
Personal protection			
Eye and face protection	 ▶ Safety glasses with side shields. ▶ Chemical goggles. 		
Skin protection	See Hand protection below		
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Suitability and durability of glove type is dependent on usage. 		
Body protection	See Other protection below		
Other protection	Overalls.P.V.C. apron.		
Thermal hazards	Not Available		

Respiratory protection

Type AEK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Smooth, clear, white gel		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	7.4
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage.

Inhaled Inhalation of varours or aerosols (mists, fumos), generated by the material during the source of persons.

Inhalation of vapours or aerosols (mists, fumes), generated by the material during the course of normal handling, may be damaging to the health of the individual.

	Inhalation of vapours may cause drowsiness and dizziness. This may be accompanied by sleepiness, reduced alertness, loss of reflexes, lack of co-ordination, and vertigo.		
Ingestion	The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'.		
Skin Contact	This material can cause inflammation of the s The material may accentuate any pre-existing	skin on contact in some persons. g dermatitis condition	
Eye	Direct contact with the eye may produce trar redness (as with windburn). In some individu	nsient discomfort characterised by tearing or conjunctival als long term contact could result in eye damage.	
Chronic			
ORPINE CPD	TOXICITY	IRRITATION	
ORPINE CPD	Not Available	Not Available	
	TOXICITY	IRRITATION	
sodium lauryl sulfate	Dermal (rabbit) LD50: >500 mg/kg ^[1]	Eye (rabbit):100 mg/24 hr-moderate	
	Oral (rat) LD50: >1600 mg/kge ^[2]	Skin (human): 25 mg/24 hr - mild	
	TOXICITY	IRRITATION	
pine oil	Dermal (rabbit) LD50: 5000 mg/kg ^[2]	Skin (rabbit): 500 mg/24h-SEVERE	
	Oral (rat) LD50: 3200 mg/kg ^[2]		
Legend:	Value obtained from Europe ECHA Regist manufacturer's msds. Unless otherwise spe- chemical Substances	ered Substances - Acute toxicity 2.* Value obtained from cified data extracted from RTECS - Register of Toxic Effect o	
SODIUM LAURYL SULFATE	Sodium lauryl sulfate (151-21-3) LD50 Oral Rat 1288 mg/kg LD50 Dermal Rat > 2000 mg/kg LD50 Dermal Rabbit 580 mg/kg LC50 Inhalation Rat (mg/l) > 3900 mg/m³ (Example)	oposure ti me: 1 h)	
PINE OIL	No significant acute toxicological data identif	fied in literature search.	
ORPINE CPD & SODIUM LAURYL SULFATE	No significant acute toxicological data identified in literature search.		

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

'Readily biodegradable under the OECD criterion'
Pine Oil: Oral LD50 (Duck/Quail) >2.25 g/kg; Aquatic 96-HR LC50 (Bluegill, Trout, Daphnia) 10-100 mg/L.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
sodium lauryl sulfate	HIGH	HIGH

Bioaccumulative potential

edient Bioaccumulation
ate LOW (BCF = 7.15)

Mobility in soil

Ingredient	Mobility
sodium lauryl sulfate	LOW (KOC = 10220)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging

disposal

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- Reduction
- ▶ Reuse
- Recycling
- Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means.

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant NO

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL 73 / 78 and the IBC code

Source	Ingredient	Pollution Category
IMO MARPOL 73/78 (Annex II) - List of Noxious Liquid Substances Carried in Bulk	pine oil	x

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

SODIUM LAURYL SULFATE(151-21-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

PINE OIL(8002-09-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

National Inventory	Status
Australia - AICS	Y
Canada - DSL	Υ
Canada - NDSL	N (sodium lauryl sulfate; pine oil)
China - IECSC	N (pine oil)
Europe - EINEC / ELINCS / NLP	N (pine oil)
Japan - ENCS	N (pine oil)

Korea - KECI	Υ
New Zealand - NZloC	Υ
Philippines - PICCS	Y
USA - TSCA	Y
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Other information

Ingredients with multiple cas numbers

Name	CAS No
sodium lauryl sulfate	1335-72-4, 151-21-3, 3088-31-1, 9004-82-4

NFPA Rating: Health-1, Flammability-1, Instability-0

The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

THE INFORMATION PRESENTED HEREIN, WHILE NOT GUARANTEED, IS TO THE BEST OF OUR KNOWLEDGE TRUE AND ACCURATE. NO WARRANTY OR GUARANTEE EXPRESS OR IMPLIED IS MADE REGARDING THE PERFORMANCE OR STABILITY OF ANY PRODUCT, SINCE THE MANNER OF USE AND CONDITIONS OF STORAGE AND HANDLING ARE BEYOND OUR CONTROL. NO SUGGESTION FOR PRODUCT USE, NOR ANYTHING CONTAINED HEREIN, SHALL BE CONSTRUED AS A RECOMMENDATION FOR ITS USE IN INFRINGEMENT OF ANY EXISTING PATENT, REGULATION OR LAW.